

DOOR SHUTTER

STRUCTURAL PROFILE

DOOR & WINDOWS FRAME

ROOF&WALL

PRODUCTION LINE



CUSTOM PROFILE

HEAVY DUTY

PU DOOR SHUTTER MACHINE

Material Thickness: 0.3-0.5 mm
Main Power: 11 kw
Weight & Dimension: 14 T,
28×1.2×1.2 m (L×W×H)



Pu Foam Door Shutter Forming Machine



SECTIONAL GARAGE DOOR MACHINE

2-IN-1 SHUTTER & RAIL MACHINE

ROLLING SHUTTER MACHINE



Material Thickness: 0.3-0.7 mm
Main Power: 11 kw
Weight & Dimension: 15 T,
38×2×1.5 m (L×W×H)




Sectional Garage Door Forming Machine

Material Thickness: 0.8-1.5 mm
Main Power: 7.5 KW
Weight & Dimension: 6 T,
7×1.2×1.4 m (L×W×H)





2-IN-1 Shutter & Rail Forming Machine



Material Thickness: 0.8-1.2
Main Power: 7.5kw
Weight & Dimension: 6T,
9×1.5×1 m (L×W×H)



Rolling Shutter Forming machine



STRUCTURAL PROFILE

ROOF&WALL

DOOR & WINDOWS FRAME

CUSTOM PROFILES

HEAVY DUTY

PRODUCTION LINE


DOOR SHUTTER

SCAFFOLD ROLL FORMING MACHINE

Material Thickness:1.5-3.0 mm
Main Power: 18.5 kw
Weight & Dimension: 15T,
18×1.2×1.2 m (L × W × H)




Storage Rack Forming Machine



STORAGE RACK MACHINE

CABLE TRAY MACHINE

SOLAR PANEL MOUNTING MACHINE



Material Thickness:1.0-2.0 mm
Main Power:18.5 kw
Weight & Dimension: 15 T,
18×1.2×1.5 m (L × W × H)








Scaffold Forming Machine

Material Thickness:0.5-2.0mm
Main Power: 2×11 kw
Weight & Dimension: 16T,
16×1.6×1.2 m (L × W × H)



Cable Tray Forming Machine



Material Thickness:1.0-2.0 mm
Main Power:18.5 kw
Weight & Dimension: 15 T,
18×1.2×1.5 m (L × W × H)



Solar Panel Mounting Forming Machine

STRUCTURAL PROFILE

ROOF&WALL

DOOR & WINDOWS FRAME

CUSTOM PROFILES

PRODUCTION LINE

DOOR SHUTTER



HEAVY DUTY

HIGH SPEED U CHANNEL MACHINE

Material Thickness:0.4-2.0 mm
Main Power: 7.5 kw
Weight & Dimension: 4T,
6x1.2x1.4 m (L x W x H)




High Speed U Channel Machine



STUD & RUNNER MACHINE

2 IN 1 U AND C CHANNEL MACHINE

HAT FURRING CHANNEL MACHINE



Material Thickness:0.4-0.8 mm
Main Power: 7.5 kw
Weight & Dimension: 10T,
10x0.7x1.2 m (L x W x H)





Stud & Runner Forming Machine

Material Thickness:-0.5-1.0 mm
Main Power: 7.5 kw
Weight & Dimension: 8 T,
8x1.2x1.2 m (L x W x H)





Hat Furring Channel Forming Machine



Material Thickness:0.4-1.2 mm
Main Power: 7.5 kw
Weight & Dimension: 8T,
8x1.2x0.7 m (L x W x H)



2 IN 1 U and C Channel Machine



ROOF&WALL

DOOR & WINDOWS FRAME

CUSTOM PROFILES

PRODUCTION LINE

STRUCTURAL PROFILE


HEAVY DUTY

DOOR SHUTTER

Material Thickness: 0.7-1.5 mm
Main Power: 15 KW x2
Weight & Dimension: 15 T,
14x1.7x1.5 m (L x W x H)





Glazed Tile Forming Machine



DOUBLE LAYER MACHINE

ROOFING SHEET MACHINE



FLOOR DECK MACHINE



Material Thickness: 0.8-0.3 mm
Main Power: 7.5 KW x2
Weight & Dimension: 17 T,
1.6x1.5x10 m (L x W x H)






Double Layer Forming Machine



Material Thickness: 0.7-1.5 mm
Main Power: 15 KW x2
Weight & Dimension: 15 T,
14x1.7x1.5 m (L x W x H)



Floor Deck Forming Machine



Material Thickness: 0.8-0.3 mm
Main Power: 7.5 KW
Weight & Dimension: 10 T,
1.6x1.5x9 m (L x W x H)



Roofing Sheet Forming Machine

ROOF&WALL **CUSTOM PROFILES** **DOOR & WINDOWS FRAME** **HEAVY DUTY** **STRUCTURAL PROFILE** **DOOR SHUTTER** **PRODUCTION LINE**

- FLASHING MACHINE
- PU DECIRATIVE PANEL MACHINE
- GUTTER MACHINE
- DOWNSPOUT MACHINE

Material Thickness: 0.5-1.5 mm
Main Power: 7.5 KW
Weight & Dimension: 9 T,
1.2×1.2×9 m (L × W × H)

Flashing Forming Machine

Material Thickness: 0.3-0.8 mm
Main Power: 7.5 kw
Weight & Dimension: 5T,
6× 1.2× 1.2 m (L × W × H)

Gutter Forming Machine

Material Thickness: 0.3-0.8 mm
Main Power: 70 kw
Weight & Dimension: 18T,
45× 1.7× 1.3 m (L × W × H)

Pu Decorative Panel Machine

Material Thickness: 0.3-0.8 mm
Main Power: 11 kw
Weight & Dimension: 8 T,
7.5×1.2×1.4 m (L × W × H)

Downspout Forming Machine

PRODUCTION LINE

CUSTOM PROFILES

DOOR & WINDOWS FRAME

STRUCTURAL PROFILE

DOOR SHUTTER

HEAVY DUTY


ROOF&WALL

SLITTING LINE

Material Thickness: 0.15-3 mm
Main Power: 100 KW
Speed : ≤100 m/min
Dimension: 23×6×1.8 m
23× 6× 1.8 m (L× W × H)



Cut To Length Line



TUBE MILL LINE


CUT TO LENGTH LINE



Material Thickness: 0.15-3 mm
Main Power: 180 KW
Speed : ≤120 m/min
Dimension : 25m×8m×1.5 m
25× 8× 1.5 m (L × W × H)






Slitting Line



Material Thickness: 0.8-2.5 mm
O.D of round pipe: 25-102 mm
Main Power: 185 kw
Welder power: 200 kw



LF-100-Tube Mill Line



Material Thickness: 0.8-2.5 mm
O.D of round pipe: 25-102 mm
Main Power: 185 kw
Welder power: 200 kw



LF-50-Tube Mill Line

HEAVY DUTY

CUSTOM PROFILES

DOOR & WINDOWS FRAME

PRODUCTION LINE

STRUCTURAL PROFILE

ROOF&WALL



DOOR SHUTTER

GUARDRAIL MACHINE

Material Thickness: 2-4 mm
Main Power: 45 kw
Weight & Dimension: 35T,
20 x 1.2 x 1.4 m (L x W x H)



Guardrail Forming Machine







Guardrail bending machine

Material Thickness: 1.5-5.0 mm
Main Power: 45 kw
Weight & Dimension: 30 T,
15 x 1.5 x (L x W x H)



C Post Beam forming Machine



Material Thickness: 1.5-3.0mm
Main Power: 30 kw
Weight & Dimension: 16T,
13.5 x 2 x 1.95 m (L x W x H)



Purlin Roll Forming Machine

HEAVY DUTY

CUSTOM PROFILES

PRODUCTION LINE

DOOR & WINDOWS FRAME

STRUCTURAL PROFILE

DOOR SHUTTER


ROOF&WALL

DOOR FRAME MACHINE

Material Thickness:1.0-2.0 mm
Main Power: 18.5 kw
Weight & Dimension: 15T,
18 x1.2 x1.5 m (L x W x H)



Door Frame Forming Machine





ANTI STEAL DOOR FRAME MACHINE

FIRE PROOF WINDOWS FRAME MACHINE

Material Thickness:0.7-1.5 mm
Main Power:11 kw
Weight & Dimension: 15T,
18 x1.2 x1.5 m (L x W x H)



Fire Proof Windows Frame Forming Machine



Material Thickness:1.0-2.0 mm
Main Power:8.5kw
Weight & Dimension:15T,
18 x1.5 x1.2 m (L x W x H)



Anti Steal Door Frame Forming Machine

CUSTOM PROFILES

HEAVY DUTY


PRODUCTION LINE

DOOR & WINDOWS FRAME

STRUCTURAL PROFILE

DOOR SHUTTER

ROOF&WALL



AMERICA

USA,
CANADA,
BRAZIL,
ARGENTINA

EUROPE

ITALY, GERMANY, FRANCE, SPAIN, POLAND

ASIA

TURKEY, IRAN, UAE, SAUDI ARABIA,
SYRIA, IRAQ, AFGHANISTAN, INDIA

AFRICA

NIGERIA, EGYPT, SOUTH AFRICA



WUXI LOTOS ROLL FORMING MACHINE MAUNFACTURE CO.,LTD.

Add: Cangxia Industrial Zone, Xishan Dis, WUXI CHINA

Email: wxlotos@gmail.com

Mobile: +86-18914131008

Tel: +86-510-82026466

WWW.LOTOSFORMING.COM

LOTOS

www.lotosforming.com

